



Boiling Water Undercounter Units

capacity • specifications

new'port

Boiling Water Undercounter Units

capacity

Some of our taps can be teamed with 2, 4 or 7 litre boiler tanks. So, from taking care of a single cup to providing the whole office with tea and coffee, there's a tank that will tick the box.

A 2L tank will give you 4 cups of boiling water in one go, a 4L tank delivers 8 cups and a 7L tank provides 14 cups.



Perfect for a couple.

Recovery time:
10 minutes

2 Litre



Ideal for a family.

Recovery time:
10 minutes


4 Litre



Perfect for small offices

Recovery time:
15 minutes

7 Litre



Boiling Water Undercounter Units

specifications

Description	2L	4L	7L
Dimensions	223x170x293mm	230x182x354 mm	295x235x365 mm
Load	6.1 Amps	10 Amps	10 Amps
Voltage	230 Volts	230 Volts	230 Volts
Power	1000 Watts	1500 Watts	1500 Watts
Water Temperature	100°C	100°C	100°C
Min Water Pressure	1.5 Bar	1.5 Bar	1.5 Bar
Max Water Pressure	5 Bar	5 Bar	5 Bar
Initial Prep Time	15 Minutes	20 Minutes	20 Minutes
Recovery Time	10 Minutes	10 Minutes	15 Minutes
Tank Capacity	2 Litres	4 Litres	7 Litres
Pressure Release Valve Rating	8 Bar	8 Bar	8 Bar



need more information?

We're here to help you. Schedule a free call/consultation.

hello@newport-water.com • newport-water.com

Barbados

CALL / WHATSAPP:

(246) 420-3590

Designer Hub,
Haggatt Hall,
St. Michael Barbados

St. Lucia

CALL / WHATSAPP:

(758) 459-2837

Gablewoods Shopping
Mall, Sunny Acres, Cas-
tries, St.Lucia

Jamaica

CALL / WHATSAPP:

(876) 758-9849

71 Molynes Road,
Kingston 10,
Jamaica